

Product: Anti-Lidocaine
Catalog #: 13-2130 Ig fraction
Amount: 100 ml

CATEGORY: Sheep Polyclonal
IMMUNOGEN: 2-Aminopropiono-2',6'-xylidide conjugated to KLH
ASSAY SYSTEM: Polarisation Fluoroimmunoassay
TRACER: Monoethylglycinexylidide (MEGX) labelled with FITC (working concentration: 30nmol/l), or glycinexylidide (GX) labelled with FITC (working concentration: 30 nmol/l)
TITER: 1:500
DILUENT BUFFER: Sodium phosphate buffer (100mM, pH 7.4) containing bovine gamma globulins (0.5 g/l) and Sodium azide (1g/l)
SPECIFICITY:

	<u>MEGX Tracer:</u>	<u>GX Tracer:</u>
Lidocaine	100%	Lidocaine 100%
MEGX	41%	MEGX 45%
GX	9%	GX 15%

STORAGE: 2-8°C for immediate use, or at -20°C (aliquot)
AVOID repeated freezing and thawing.

This product is sold for laboratory research use or further manufacturing only and should not be used for human therapeutic or diagnostic applications. The information presented is believed to be accurate; however, said information and products are offered without warranty or guarantee since the ultimate conditions of use and the variability of the materials treated are beyond our control. Nothing disclosed herein is to be construed as a recommendation to use our products in violation of any patents. Under no circumstances shall ARP American Research Products, Inc. be liable for damages, whether consequential, compensatory, incidental or special, strict liability or negligence, breach of warranty or any other theory arising out of the use of the products available from ARP American Research Products, Inc. Nothing contained herein warrants that the use of the products will not infringe on the claims of any patents covering the product itself or the use thereof in combination with other products or in the operation of any process.